

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/737,742	12/18/2000	Tonnes Brekne	198443US2	1337
22850	7590 11/21/2006		EXAMINER	
0	ICCLELLAND	LANIER, BENJAMIN E		
OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C. 1940 DUKE STREET ALEXANDRIA, VA 22314			ART UNIT	PAPER NUMBER
			2132	
			DATE MAILED: 11/21/200	6

Please find below and/or attached an Office communication concerning this application or proceeding.

	•	•	
Splenate	Application No.	Applicant(s)	
20 lb Erwin	09/737,742	BREKNE, TONNES	
Notice of Allowability	Examiner	Art Unit	
	Benjamin E. Lanier	2132	
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this ap or other appropriate communicatior GHTS. This application is subject t	plication. If not included i will be mailed in due course. THIS	
1. This communication is responsive to			
2. X The allowed claim(s) is/are <u>24,25 and 34-39</u> .			
3. \boxtimes The drawings filed on <u>18 December 2000</u> are accepted by	the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority un a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application No cuments have been received in this	national stage application from the	
Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONMI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply ENT of this application.	complying with the requirements	
5. A SUBSTITUTE OATH OR DECLARATION must be submi INFORMAL PATENT APPLICATION (PTO-152) which give	tted. Note the attached EXAMINER s reason(s) why the oath or declara	'S AMENDMENT or NOTICE OF atton is deficient.	
 6. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftsperson 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the paper No./Mail DEPOSIT OF and/or INFORMATION about the deposition of the paper No./Mail Date 	on's Patent Drawing Review (PTO- Amendment / Comment or in the C 84(c)) should be written on the drawing he header according to 37 CFR 1.121(sit of BIOLOGICAL MATERIAL r	Office action of ngs in the front (not the back) of d). nust be submitted. Note the	
attached Examiner's comment regarding REQUIREMENT F	FOR THE DEPOSIT OF BIOLOGIC	AL MATERIAL	
Attachment(s)			
1. Notice of References Cited (PTO-892)	•	atent Application (PTO-152)	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary		
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date	Paper No./Mail Daí B), 7. ⊠ Examiner's Amendr		
4. Examiner's Comment Regarding Requirement for Deposit	8. Examiner's Stateme	ent of Reasons for Allowance	
of Biological Material	9. Other		

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Please amend the specification at page 7, lines 27-28 as follows:

Figures [41A-42D] <u>42A-42E</u> illustrate a method of obfuscation of a Mealy machine as part of a method of augmentation.

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Benjamin E. Lanier whose telephone number is 571-272-3805. The examiner can normally be reached on M-Th 7:30am-5:00pm, F 7:30am-4pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gilberto Barron can be reached on 571-272-3799. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/737,742

Art Unit: 2132

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Benjamin E. Lanier

GILBERTO BARRON DE SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2100

Page 3